

BHS Marketing

Western Briquette

Mineral (Seal) Oil

Technical Data Sheet

Property	Test Method	Typical	Requirement (Min. / Max.)
API Gravity	D 287	39	39.0 / 40.0
Flash (C.O.C) (OF)	D 92	242	235 / 255
Color (Saybolt) D 156		+ 25	+ 25 Minimum
Pour Point (OF) D 97		+ 6	+ 4 / + 15
Aromatic	D 1319	< 30%	
Saturates	D 1319	> 70%	
Polars	D 1319	< 0.5%	
Viscosity (SUS @ 100 OF)	D 88	37	35.0 / 40.0
Distillation	D 86		
I.B.P. (OF)		480	450 / 485
95 % (OF)		567	
Dry Point (OF)		584	570 / 600